


Geberit Mapress bend 15°



Characteristics

- With pressing indicator
- Leaky if unpressed

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
Elbow	15°

Scope Of Delivery


- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
36101	15	3	1
36103	22	3,3	1,2
36104	28	3,6	1,3
36105	35	3,2	0,6
36106	42	3,7	0,7
36107	54	4,4	0,9
36108	76,1	7,6	2,3
36109	88,9	8,6	2,6
36110	108	10,5	3

Pipe bridges

Geberit Mapress pipe bridge



Application Purpose

- For sanitary and industrial applications
- For heating installations
- For gas installations with natural gases (NG) and liquefied gases (LPG)

Characteristics

- For parallel pipes with distance L

Product Details


Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Ordering Information

Article no.	dØ [mm]	L [cm]	L1 [cm]	L2 [cm]
30802	15	5,7	15,8	3,7
30803	18	6	16,5	4
30804	22	6,5	17,8	4,4
30805	28	7,4	21	5

Reducers

Geberit Mapress reducer with plain end



Application Purpose

- For sanitary and industrial applications
- For heating installations

Characteristics

- Plain end
- Leaky if unpressed
- With pressing indicator

Product Details

Product material	CrNiMo steel 1.4401 (DIN EN 10088)
------------------	------------------------------------

Scope Of Delivery

- Seal ring CIIR black

Ordering Information

Article no.	dØ [mm]	d1Ø [mm]	H [cm]	L [cm]
32303	18	15	3,5	5,5
32305	22	15	3,9	5,9
32306	22	18	3,7	5,7
32307	28	15	4,6	6,6
32308	28	18	4,4	6,4
32309	28	22	3,9	6
32310	35	15	5,5	7,5
32311	35	18	5,4	7,4
32312	35	22	5	7,1
32313	35	28	4,5	6,8
32314	42	15	6,1	8,1
32315	42	18	6	8
32316	42	22	6,1	8,2
32317	42	28	6	8,3
32318	42	35	5,1	7,7
32319	54	15	7,7	9,7
32320	54	18	7,6	9,6
32321	54	22	7,4	9,5
32322	54	28	8,7	11
32323	54	35	8	10,6
32324	54	42	6,2	9,2
32331	76,1	54	11,1	14,6
32338	88,9	54	12,8	16,3
32339	88,9	76,1	10,8	16,1
32345	108	54	13,7	17,2
32346	108	76,1	13,1	18,4
32348	108	88,9	14,3	20,3

