


Couplings

Geberit Mapress coupling



Application Purpose

- For heating installations
- For air-conditioning applications
- For sprinkler systems (wet)
- Not suitable for drinking water

Characteristics

- Galvanized
- Leaky if unpressed
- With pressing indicator

Product Details

Product material	Non-alloy steel 1.0034 E 195 (DIN EN 10305)
------------------	---


Scope Of Delivery

- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
22002	15	4,8	0,8
22003	18	4,8	0,8
22004	22	5	0,8
22005	28	5,4	0,8
22006	35	6,2	1
22007	42	7,1	1,1
22008	54	8,3	1,3
22009	76,1	14,1	3,5
22010	88,9	16,2	4,2
22011	108	19,4	4,4

Geberit Mapress slip coupling



Application Purpose

- For heating installations
- For air-conditioning applications
- For sprinkler systems (wet)
- Not suitable for drinking water

Characteristics

- Galvanized
- Leaky if unpressed
- With pressing indicator

Product Details

Product material	Non-alloy steel 1.0034 E 195 (DIN EN 10305)
------------------	---

Scope Of Delivery


- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	E [cm]	L [cm]	Z [cm]
22102	15	2,5	8	3
22103	18	2,5	8	3
22104	22	2,5	8,4	3,4
22105	28	3	9,1	3,1
22106	35	3	10,2	4,2
22107	42	4	12	4
22108	54	4	14	6
22109	76,1	6	23	11
22110	88,9	7	26	12
22111	108	8	31	15

Bends

Geberit Mapress bend 90°



Application Purpose

- For heating installations
- For air-conditioning applications
- For sprinkler systems (wet)
- Not suitable for drinking water

Characteristics

- Galvanized
- Leaky if unpressed
- With pressing indicator

Product Details

Product material	Non-alloy steel 1.0034 E 195 (DIN EN 10305)
Elbow	90°

Scope Of Delivery

- Seal rings CIIR black

Ordering Information

Article no.	dØ [mm]	L [cm]	Z [cm]
20102	15	4,9	2,9
20103	18	5,3	3,3
20104	22	6,1	4
20105	28	7,2	4,9
23106	35	6,8	4,2
23107	42	8	5
23108	54	10	6,5
20109	76,1	15,3	10
20110	88,9	17,9	11,9
20111	108	22,2	14,7