

YANGIN POMPALARI FIRE PUMPS



UÇTAN EMİŞLİ YANGIN POMPASI CENTRIFUGAL FIRE PUMPS END SUCTION

MODEL SFP

MARKA / BRAND	
ONAYLAR Approvals	UL, FM, CE
KAPASİTE Capacity	50 GPM - 1000 GPM
BASINÇLAR Pressures	65 PSI - 234 PSI
MAKS. ÇALIŞMA BASINCI Max. Working Pressure	180 PSI - 315 PSI
HIZ Speed	2900 RPM - 3000 RPM 3500 RPM - 3600 RPM



MALZEME MATERIAL

Kasa Casing	Dökme Demir / Sfero Demir Cast Iron / Ductile Iron
Çark Impeller	Bronz / Dupleks (İstek üzerine) Bronze / Duplex (Upon request)
Mil Shaft	Alaşımli çelik / Paslanmaz Çelik / Dupleks (İstek üzerine) Alloy steel / Stainless Steel / Duplex (Upon request)

MODEL MODEL	DEBİ (GPM) FLOW (GPM)	FLANŞ BOYUTU (İNÇ) FLANGE SIZE (INCH)	UL LİSTELİ BASINÇ ARALIĞI (PSI) UL LISTED PRESSURE RANGE (PSI)	FM ONAYLI BASINÇ ARALIĞI (PSI) FM APPROVED PRESSURE RANGE (PSI)	YAKLAŞIK HIZ (RPM) APPROX SPEED (RPM)	MAKS. ÇALIŞMA BASINCI (PSI) MAX. WORKING PRESSURE (PSI)
SFP 50-20 EM-2G	50	2 ½ X 2	74 - 93	74 - 93	2900	180
SFP 50-20 EM-2G		2 ½ X 2	79 - 99	79 - 99	3000	180
SFP 50-20 EM		2 x 1 ¼	68 - 87	68 - 88	2900	230
SFP 50-20 EH		2 x 1 ¼	101 - 129	102 - 129	3500	230
SFP 50-26 EM		2 x 1 ¼	115 - 140	115 - 133	2900	230
SFP 50-26 EH		2 x 1 ¼	163 - 206	168 - 195	3500	230
SFP 50-20 EH A		2 ½ x 2	106 - 129	x	3500	230
SFP 50-20 EH B		3 x 2 ½	108 - 121	x	3500	230
SFP 50-26 EM A		2 ½ x 1 ½	114 - 136	x	2900	230
SFP 50-42 EH		2 ½ x 1 ½	122 - 146	x	3000	230
SFP 50-40 EH		2 ½ x 1 ½	166 - 198	x	3500	230

UÇTAN EMİŞLİ YANGIN POMPASI
CENTRIFUGAL FIRE PUMPS END SUCTION
MODEL SFP

MODEL MODEL	DEBİ (GPM) FLOW (GPM)	FLANŞ BOYUTU (İNÇ) FLANGE SIZE (INCH)	UL LİSTELİ BASINÇ ARALIĞI (PSI) UL LISTED PRESSURE RANGE (PSI)	FM ONAYLI BASINÇ ARALIĞI (PSI) FM APPROVED PRESSURE RANGE (PSI)	YAKLAŞIK HIZ (RPM) APPROX SPEED (RPM)	MAKS. ÇALIŞMA BASINCI (PSI) MAX. WORKING PRESSURE (PSI)	
SFP 100-20 EM-2G	100	2 ½ X 2	72 - 92	72 - 92	2900	180	
SFP 100-20 EM-2G		2 ½ X 2	77 - 98	77 - 98	3000	180	
SFP 100-20 EH		2 x 1 ¼	119	x	3500	230	
SFP 100-26 EH		2 x 1 ¼	159 - 195	x	3500	230	
SFP 100-50 EH		2 ½ x 2	104 - 128	106 - 130	3500	230	
SFP 100-26 EM		2 ½ x 1 ½	109 - 134	x	2900	230	
SFP 100-42 EH		2 ½ x 1 ½	116 - 143	x	3000	230	
SFP 100-40 EH		2 ½ x 1 ½	162 - 198	x	3500	230	
SFP 100-20 EH B		3 x 2 ½	108 - 124	x	3500	230	
SFP 150-32 EM-2G		150	3 X 2	95 - 142	95 - 142	2900	239
SFP 150-32 EM-2G	3 X 2		102 - 153	102 - 153	3000	239	
SFP 150-20 EM-2G	2 ½ X 2		71 - 90	71 - 90	2900	180	
SFP 150-20 EM-2G	2 ½ X 2		76 - 97	76 - 97	3000	180	
SFP 150-65 EM-2G	3 X 2 ½		80 - 93	80 - 93	2900	180	
SFP 150-65 EM-2G	3 X 2 ½		86 - 99	86 - 99	3000	180	
SFP 150-20 EH	3 x 2 ½		108 - 128	x	3500	230	
SFP 150-26 EM	2 ½ x 1 ½		124	x	2900	230	
SFP 150-42 EH	2 ½ x 1 ½		107 - 135	x	3000	230	
SFP 150-26 EH	2 ½ x 1 ½		156 - 191	x	3500	230	
SFP 150-20 EH A	2 ½ x 2	102 - 126	104 - 129	3500	230		
SFP 200-32 EM-2G	200	3 X 2	89 - 139	89 - 139	2900	239	
SFP 200-32 EM-2G		3 X 2	96 - 149	96 - 149	3000	239	
SFP 200-65 EM-2G		3 X 2 ½	79 - 91	79 - 91	2900	180	
SFP 200-65 EM-2G		3 X 2 ½	85 - 98	85 - 98	3000	180	
SFP 200-20 EH		3 X 2 ½	106 - 127	x	3500	230	
SFP 200-20 EH A		2 ½ x 2	96 - 120	98 - 124	3500	230	
SFP 200-65 EM		3 X 2 ½	115 - 136	115 - 136	2900	230	
SFP 250-32 EM-2G		250	3 X 2	82 - 132	82 - 132	2900	239
SFP 250-32 EM-2G			3 X 2	89 - 143	89 - 143	3000	239
SFP 250-42 EM-2G			4 X 2 ½	87 - 147	87 - 146	2900	239
SFP 250-42 EM-2G	4 X 2 ½		94 - 156	94 - 156	3000	239	
SFP 250-65 EM-2G	3 X 2 ½		77 - 90	77 - 90	2900	180	
SFP 250-65 EM-2G	3 X 2 ½		83 - 97	83 - 97	3000	180	
SFP 250-26 EM	3 x 2 ½		113 - 134	122 - 134	2900	230	
SFP 250-20 EH	3 x 2 ½		103 - 124	105 - 125	3500	230	
SFP 300-42 EM-2G	300		4 X 2 ½	85 - 143	85 - 143	2900	230
SFP 300-42 EM-2G			4 X 2 ½	91 - 154	91 - 154	3000	239
SFP 300-65 EM-2G		3 X 2 ½	75 - 90	76 - 90	2900	180	
SFP 300-65 EM-2G		3 X 2 ½	81 - 96	81 - 96	3000	180	
SFP 300-26 EM		3 x 2 ½	110 - 132	108 - 130	2900	230	
SFP 300-20 EH		3 x 2 ½	101 - 123	102 - 123	3500	230	

YANGIN POMPALARI FIRE PUMPS



UÇTAN EMİŞLİ YANGIN POMPASI CENTRIFUGAL FIRE PUMPS END SUCTION

MODEL SFP

MODEL MODEL	DEBİ (GPM) FLOW (GPM)	FLANŞ BOYUTU (İNÇ) FLANGE SIZE (INCH)	UL LİSTELİ BASINÇ ARALIĞI (PSI) UL LISTED PRESSURE RANGE (PSI)	FM ONAYLI BASINÇ ARALIĞI (PSI) FM APPROVED PRESSURE RANGE (PSI)	YAKLAŞIK HIZ (RPM) APPROX SPEED (RPM)	MAKS. ÇALIŞMA BASINCI (PSI) MAX. WORKING PRESSURE (PSI)	
SFP 400-31 EM-2G	400	5 X 3	134 - 218	134 - 218	2900	315	
SFP 400-31 EM-2G		5 X 3	143 - 234	143 - 234	3000	315	
SFP 400-25 EM-2G		5 X 3	86 - 139	86 - 139	2900	235	
SFP 400-25 EM-2G		5 X 3	93 - 149	93 - 149	3000	235	
SFP 400-54 EM-2G		5 X 4	137 - 215	137 - 215	2900	315	
SFP 400-54 EM-2G		5 X 4	147 - 230	147 - 230	3000	315	
SFP 400-42 EM-2G		4 X 2 ½	79 - 141	79 - 141	2900	239	
SFP 400-42 EM-2G		4 X 2 ½	86 - 151	86 - 151	3000	239	
SFP 400-26 EM		4 x 3	110 - 133	108 - 133	2900	230	
SFP 400-26 EH		4 x 3	191	165 - 198	3500	240	
SFP 400-32 EM		4 x 3	158 - 200	162 - 197	2900	250	
SFP 400-80 EH		4 x 3	105 - 193	115 - 195	3500	235	
SFP 450-31 EM-2G		450	5 X 3	131 - 217	131 - 217	2900	315
SFP 450-31 EM-2G			5 X 3	141 - 232	141 - 232	3000	315
SFP 450-25 EM-2G			5 X 3	85 - 138	86 - 138	2900	235
SFP 450-25 EM-2G			5 X 3	91 - 148	91 - 148	3000	235
SFP 450-54 EM-2G	5 X 4		136 - 214	136 - 214	2900	315	
SFP 450-54 EM-2G	5 X 4		146 - 229	146 - 229	3000	315	
SFP 450-42 EM-2G	4 X 2 ½		78 - 137	78 - 137	2900	239	
SFP 450-42 EM-2G	4 X 2 ½		84 - 148	84 - 148	3000	239	
SFP 450-26 EM	4 x 3		109 - 132	105 - 132	2900	230	
SFP 450-26 EH	4 x 3		188	162 - 197	3500	240	
SFP 450-32 EM	4 x 3		154 - 198	159 - 195	2900	250	
SFP 450-80 EH	4 x 3		102 - 190	111 - 195	3500	235	
SFP 500-31 EM-2G	500		5 X 3	129 - 217	129 - 217	2900	315
SFP 500-31 EM-2G			5 X 3	139 - 232	139 - 232	3000	315
SFP 500-25 EM-2G			5 X 3	83 - 136	83 - 136	2900	235
SFP 500-25 EM-2G			5 X 3	90 - 146	90 - 146	3000	235
SFP 500-54 EM-2G		5 X 4	136 - 214	136 - 214	2900	315	
SFP 500-54 EM-2G		5 X 4	146 - 229	146 - 229	3000	315	
SFP 500-42 EM-2G		4 X 2 ½	143	143	3000	239	
SFP 500-42 EM-2G		4 X 2 ½	143	143	3000	239	

UÇTAN EMİŞLİ YANGIN POMPASI
CENTRIFUGAL FIRE PUMPS END SUCTION
MODEL SFP

MODEL MODEL	DEBİ (GPM) FLOW (GPM)	FLANŞ BOYUTU (İNÇ) FLANGE SIZE (INCH)	UL LİSTELİ BASINÇ ARALIĞI (PSI) UL LISTED PRESSURE RANGE (PSI)	FM ONAYLI BASINÇ ARALIĞI (PSI) FM APPROVED PRESSURE RANGE (PSI)	YAKLAŞIK HIZ (RPM) APPROX SPEED (RPM)	MAKS. ÇALIŞMA BASINCI (PSI) MAX. WORKING PRESSURE (PSI)	
SFP 500-20 EM-2G	500	6 X 5	68 - 84	69 - 84	2900	175	
SFP 500-20 EM-2G		6 X 5	73 - 90	73 - 90	3000	175	
SFP 500-20 EH-2G		6 X 5	100 - 121	100 - 121	3500	210	
SFP 500-20 EH-2G		6 X 5	105 - 128	105 - 128	3600	210	
SFP 500-26 EM-2G		6 X 5	118 - 136	118 - 136	2900	230	
SFP 500-26 EM-2G		6 X 5	126 - 146	126 - 146	3000	230	
SFP 500-26 EH-2G		6 X 5	168 - 199	168 - 199	3500	290	
SFP 500-26 EH-2G		6 X 5	178 - 210	178 - 210	3600	290	
SFP 500-26 EM		4 x 3	108 - 131	104 - 131	2900	230	
SFP 500-26 EH		4 x 3	185	161 - 195	3500	240	
SFP 500-32 EM		4 x 3	149 - 194	156 - 194	2900	250	
SFP 500-80 EH		4 x 3	99 - 188	110 - 194	3500	235	
SFP 500-12 EM		5 x 4	111 - 133	113 - 139	2900	225	
SFP 500-13 EM		5 x 4	122 - 210	126 - 216	2900	245	
SFP 750-26 EM		750	5 x 4	102 - 127	108 - 136	2900	225
SFP 750-32 EM			5 x 4	122 - 207	117 - 214	2900	245
SFP 750-54 EM-2G			5 X 4	131 - 208	131 - 208	2900	315
SFP 750-54 EM-2G			5 X 4	141 - 223	141 - 223	3000	315
SFP 750-20 EM-2G			6 X 5	65 - 81	65 - 81	2900	175
SFP 750-20 EM-2G			6 X 5	70 - 87	70 - 87	3000	175
SFP 750-20 EH-2G	6 X 5		97 - 120	97 - 120	3500	210	
SFP 750-20 EH-2G	6 X 5		103 - 127	130 - 127	3600	210	
SFP 750-26 EM-2G	6 X 5		116 - 135	116 - 135	2900	230	
SFP 750-26 EM-2G	6 X 5		125 - 145	125 - 145	3000	230	
SFP 750-26 EH-2G	6 X 5		167 - 198	167 - 198	3500	290	
SFP 750-26 EH-2G	6 X 5		177 - 210	177 - 210	3600	290	
SFP 1000-54 EM-2G	1000		5 X 4	122 - 200	122 - 200	2900	315
SFP 1000-54 EM-2G			5 X 4	132 - 215	132 - 215	3000	239
SFP 1000-20 EM-2G		6 X 5	60 - 78	60 - 78	2900	175	
SFP 1000-20 EM-2G		6 X 5	65 - 84	65 - 84	3000	175	
SFP 1000-20 EM-2G		6 X 5	92 - 116	92 - 116	3500	210	
SFP 1000-20 EM-2G		6 X 5	98 - 123	98 - 123	3600	210	
SFP 1000-26 EM-2G		6 X 5	113 - 133	113 - 133	2900	230	
SFP 1000-26 EM-2G		6 X 5	121 - 143	121 - 143	3000	230	
SFP 1000-26 EH-2G		6 X 5	164 - 196	164 - 196	3500	290	
SFP 1000-26 EH-2G		6 X 5	174 - 208	174 - 208	3600	290	

Notlar: 1-Tüm pompalar, maksimum çalışma basıncının minimum %150'sine kadar hidrostatik olarak test edilmiştir ve maksimum çalışma basıncının iki katına dayanmaktadır. 2-Sürücü tarafından bakıldığında tüm pompaların saat yönünde dönüşü vardır. 3-Tüm pompalar yatay tek kademeli pompalardır. 4-"Pompanın üzerinde işaretlenen anma hızı, listelenen/onaylanan anma hızının +/-%4'ü dahilinde değişebilir. Örnek: 3000 RPM pompa, 2900 RPM sürücülerle çalıştırılabilir." 5-NFPA 20 tasarım ve kurulum gereksinimlerine uygun UL LİSTELİ VE FM ONAYLI POMPALAR.

Notes: 1-All pumps are hydrostatically tested to minimum of 150% of its maximum working pressure and can with stand double the max. Working pressure, 2-All pumps have clock-wise rotation when viewed from the driver side. 3-All pumps are horizontal single stage pumps. 4-"The rated speed marked on the pump can vary within +/-4% of the listed/ approved rated speed example: 3000 RPM pump can be driven with 2900 RPM Drivers." 5-UL LISTED & FM APPROVED PUMPS compliant to NFPA 20 design & installation requirements.